

Europäisches Patentamt
European Patent Office
Office européen des brevets



Publication number:

0 214 626 B1

12

EUROPEAN PATENT SPECIFICATION

45 Date of publication of patent specification: **16.12.92** 51 Int. Cl.⁵ **A61K 7/075, A61K 7/11**

52 Application number: **86112303.2**

53 Date of filing: **05.09.86**

54 **Hair cosmetic composition.**

37 Priority: **13.09.85 JP 202898/85**

42 Date of publication of application:
18.03.87 Bulletin 87/12

43 Publication of the grant of the patent:
16.12.92 Bulletin 92/51

56 Designated Contracting States:
AT CH DE FR GB LI NL

56 References cited:
EP-A- 0 138 395
GB-A- 2 114 580

**RÖMPPS "Chemie-Lexikon", 8th edition,
1983, Franckh'sche Verlagshandlung, Stutt-
gart (DE); p. 2169**

73 Proprietor: **Kao Corporation**
1-14-10, Nihonbashi Kayaba-cho
Chuo-ku Tokyo(JP)

72 Inventor: **Yahagi, Kazuyuki**
Room 749 No. 6, Ohjima-6-chome-danchi
6-1, Ohjima Kohto-ku Tokyo(JP)
Inventor: **Suzuki, Toshio**
208, No. 2 Asakaso 3-22-7, Higashisugano
Ichikawa-shi Chiba-ken(JP)

74 Representative: **Wächtershäuser, Günter, Dr.**
Tal 29
W-8000 München 2(DE)

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid (Art. 99(1) European patent convention).

Description**BACKGROUND OF THE INVENTION**

5 1. Field of the Invention

This invention concerns hair cosmetic compositions and more specifically such compositions containing a water-insoluble fine particulate polymer, having excellent style-forming or retaining performance of hair and further giving a favorable feeling to touch to the hair.

10

2. Description of the Prior Art

Hair style is one of most important factors in beauty cares, and various kinds of beauty treatments have been prevailed for making the style. For instance, hair may be wound and dried around curlers, or treated by a drier and brushes to make a style. In such hair cares, it is a usual practice that hair cosmetics such as set lotions, blowing agents, hair sprays and the like are used for the purpose of facilitating a style making or retaining the thus prepared hair style. Hair cosmetic compositions, therefore, are incorporated with polymers which are soluble in water or in organic solvents such as alcohols. Examples of such polymers are polyvinyl pyrrolidone, vinyl pyrrolidone/vinyl acetate copolymer, vinylpyrrolidone/vinyl acetate/alkylamino acrylate copolymer, methylvinyl ether/maleic anhydride copolymer, vinylacetate/chrotonic acid copolymer, copolymer of acrylic or methacrylic acid and acrylic or methacrylic acid esters. Hair styles have been formed or retained by the polymers spread or applied by way of aerosol to the hair.

However, conventional hair cosmetic compositions have disadvantages in that they necessitate a great amount of polymer materials to be deposited on the hair in order to retain the hair style. In addition, since the polymer materials deposited on the hair have a surface tension higher than the critical surface tension of the hair, they are deposited in the island-like small lumps on the hair, which leads to the stiff feeling of the hair and insufficient combing performance.

Hair rinses, hair treatment agents, etc. have been used after contaminations on the hair are removed by a shampoo in order to eliminate the unfavorable dryness of the hair, to impart a soft touch to the hair and to obtain a smooth combing. However, since they contain cationic surface active agents or oily ingredients, although they can improve the softness and combing property of the hair, they are accompanied by drawbacks in that the hair becomes sticky and hair styles are difficult to be made or retained, thus improvement has been demanded therefor.

35 **SUMMARY OF THE INVENTION**

In view of the foregoing situations, the present inventors have made an earnest study for obtaining a hair cosmetic composition having an excellent hair style forming or retaining performance and, as a result, have accomplished this invention based on the finding that hair cosmetic composition capable of providing hair with an excellent style-forming or retaining effect without impairing the feelings of the hair and exhibiting favorable combing property can be obtained by blending a particular polymer with hair cosmetic compositions for shampoos, rinses, treatments, hair sprays, set lotions and the like.

Accordingly, this invention provides hair cosmetic compositions comprising from 0.01 to 10% by weight of a particulate polymer having a weight average diameter of from 0.01 to 0.1 μm , said particulate polymer has a particle size distribution of such that the particles ranging from 0.005 to 0.2 μm in diameter are contained in over 95% by weight of the particles and has a glass transition temperature, T_g , of over 300 K. It is preferred that the particulate polymer having the particle size as described above is used in the form of a polymer latex comprising than particulate polymer.

50 **DETAILED DESCRIPTION OF THE INVENTION AND PREFERRED EMBODIMENTS**

The polymer latex comprising the particulate polymer cannot be prepared by a conventional emulsion polymerizing process in that a polymerization is carried out in the presence of the emulsion of droplets of polymerizable monomers in the polymerization system.

According to this invention, the polymer latex is prepared by polymerizing a water-insoluble polymerizable monomer in a microemulsion or solubilized state. The microemulsion can be prepared by using a nonionic surface active agent and selecting a temperature appropriately near the phase transition temperature, or by combining the anionic surface active agent with an appropriate auxiliary surface active agent

such as a higher alcohol or nonionic surface active agent. Further, the solubilized state can be obtained by using a great amount of a surface active agent relative to the polymerizable monomer.

Among them, most preferred is a process of conducting a polymerization in the state of the microemulsion using a nonionic surface active agent, setting the polymerizing temperature near the phase transition temperature and the interfacial tension between the monomer and water to not more than 1×10^{-3} μm (1 dyne/cm) and, preferably, not more than 0.5×10^{-3} μm (0.5 dyne/cm).

The process for preparing the polymer latex used in the invention will be explained together with polymerizable monomers usable for the preparation.

10 (1) Addition-polymerized polymer latex:

Addition-polymerized latex can be obtained by polymerizing a polymerizable monomer while maintaining the microemulsion of an aqueous solution of a surface active agent having an interfacial tension between the monomer and water of less than 1×10^{-3} μm (1 dyne/cm), in which the polymerizable monomer is solubilized within micelles formed by the surface active agent.

As the polymerizable monomer, any of known monomers usable in the emulsion polymerization can be used, which include ethylene unsaturated monomers such as ethylene, propylene, isobutene and butene-1; aromatic vinyl monomers such as styrene, α -methylstyrene, vinyl toluene, halogenated styrene and divinyl benzene; acrylic esters having from 1 to 20 carbon atoms in the alkyl group such as ethyl acrylate, butyl acrylate and 2-ethylhexyl acrylate; methacrylate having from 1 to 20 carbon atoms such as methyl methacrylate, butyl methacrylate and lauryl methacrylate; vinyl esters such as vinyl acetate and vinyl propionate; vinyl ethers having from 1 to 20 carbon atoms such as ethyl vinyl ether and butyl vinyl ether; vinyl ketones having from 1 to 20 carbon atoms such as methyl vinyl ketone and ethyl vinyl ketone; vinyl cyan monomers such as acrylonitrile and methacrylonitrile; halogenated vinyls and halogenated vinylidene such as vinyl chloride, vinyl bromide, vinylidene chloride and vinylidene bromide; and conjugated aliphatic dienes such as 1,3-butadiene and 2-methyl-1,3-butadiene. These monomers can be used solely or as a mixture of two or more of them. Further, any of the above-mentioned monomers can be subject to copolymerization with maleic anhydride, a water soluble monomer, styrene sulfonic acid (salt), vinyl naphthalene sulfonic acid (salt) or acrylic acid (salt).

The most preferred process for producing the addition polymerized latex is carried out by adding a surface active agent in a reaction vessel charged with water to prepare an aqueous solution, adding polymerizable monomers and, if required, an aqueous solution of a radical polymerization initiator thereto while stirring under heat near the temperature at which the micelles of the surface active agent cause the phase transition while maintaining such a state as the interface tension between the monomer and water is not more than 1×10^{-3} μm (1 dyne/cm), preferably from 0 to 0.5×10^{-3} μm (0 to 0.5 dyne/cm), thereby initiating polymerization and then gradually adding a polymerizable monomer such that the interfacial tension between the aqueous solution of the surface active agent and the monomer phase does not exceed the above-mentioned range.

The radical polymerization initiator suitably used herein can include, for example, persulfates such as potassium persulfate, sodium persulfate and ammonium persulfate; azo compounds such as mineral acid salt of 2,2'-azobis (2-amidino propane), azobis-cyanobuareric acid and alkali metal or ammonium salt thereof; and redox type initiators such as tartaric acid-hydrogen peroxide, Rongalit-peroxide and ascorbic acid-peroxide. Among them, 2,2'-azobis(2-amidino propane) mineral acid salt is used preferably in the case of using the cationic surface active agent in the polymerization system and the persulfate is suitably used in other polymerization systems. The amount of the radical polymerization initiator is from 0.1 to 5 parts by weight and, preferably, from 0.1 to 3 parts by weight based on 100 parts by weight of the monomer constituting the polymer.

The reaction temperature is the highest temperature within the solubilizing region near the phase transition temperature, and a temperature within a range from 50 to 90°C is preferred. While the time required for the polymerization varies depending on the type, composition and the concentration of the monomer, or the concentration of the radical polymerization initiator, polymerizing temperature, etc., the range from 5 to 50 hours is preferred.

In this way, a polymer latex containing a particulate polymer having an average particle size from 0.01 to 0.1 μm and in which 95% by weight or more of the particles have a particle size ranging from 0.005 to 0.2 μm in diameter is obtained.

(2) Polycondensation latex:

Polycondensation latex is obtainable by polymerizing a polycondensable monomer while maintaining the microemulsion of an aqueous solution of a surface active agent, which has an interfacial tension between the monomer and water of not more than 4×10^{-3} μm (1 dyne/cm), and in which the polycondensable monomer is solubilized within the micelles formed by the surface active agent.

As the polycondensable monomer, any of known monomers usable in the interface polycondensation or low temperature polycondensation can be used. Among them, those monomers capable of forming polyamides or polyesters are preferred. For instance, the acid component for preparing the polyamide includes alkylene dicarboxylic acids comprising hydrocarbons having from 1 to 24 carbon atoms, phthalic acid such as dimeric acid, terephthalic acid and isophthalic acid, corresponding acid chlorides or acid anhydrides of aromatic polybasic carboxylic acids and cycloaliphatic polybasic carboxylic acids such as cyclohexyl dicarboxylic acid and, further, thioesters of dicarboxylic acids. Further, the amine component can include, for example, aliphatic polyamines comprising hydrocarbons of from 1 to 24 carbon atoms, for example, alkylene diamine and alkylene triamine, aromatic polyamides such as phenylene diamine and polyamines having heterocyclic ring such as 4,4'-diaminophenyl ether.

Further, the alcohol component in the case of preparing the polyester includes alkylene diols comprising hydrocarbons with from 1 to 24 carbon atoms, ethylene glycol condensate such as bis- β -hydroxyethyl terephthalate, aromatic polyhydric alcohols such as hydroquinone and bisphenol A, polyhydric alcohols such as glycerine derivatives. As the acid component, various compounds as described above can be mentioned.

The monomers are not restricted only to those as described above, and two or more of the monomers may further be used in admixture.

For practicing the polycondensation reaction, a surface active agent is added to a reactor charged with water for solubilizing the acid component by agitation. Thereafter, an aqueous solution of diamine or alcohol is added, or alternatively, solutions prepared by dissolving both of the components separately in organic solvents are solubilized in the respective aqueous solutions of the surface active agent and mixed. A solid monomer is preferably dissolved in an organic solvent and solubilized together with the solvent in micelles for conducting the polycondensation. In this case, any of water-insoluble solvents may be used and benzene, toluene, xylene or the like is preferably used. The reaction temperature is preferably at a temperature within the solubilizing region near the phase transition temperature and, generally, from -10 to 50°C . Further, while the reaction time varies depending on the type, composition and the concentration of the monomer or the temperature, 2 - 60 minutes of time is usually preferred.

In this way, a polymer latex containing a particulate polymer having an average particle diameter from 0.01 to $0.1 \mu\text{m}$, in which 95% or more of the particles have a diameter falling within a range of from 0.005 to $0.2 \mu\text{m}$ can be obtained.

(3) Polyaddition polymerized latex:

The polymer latex of polyaddition polymer is obtainable by polymerising a monomer capable of polycondensation in a state where the monomer capable of polycondensation is solubilized in a plate-like micelles formed with the surface active agent, while using an aqueous solution of a surface active agent providing the interfacial tension between the monomer and water of not more than $5 \cdot 10^{-2}$ μm (0.5 dyne/cm) and while maintaining the state of the microemulsion.

While all of known monomers usable in the ordinary polyaddition reaction can be used as the monomer capable of polyaddition, those monomers directed to polyurethanes, polyurea resins and epoxy resins are preferred.

The alcohol component for preparing the polyurethane includes those compounds having at least two hydroxy groups in one molecule, specifically, ethylene glycol, propylene glycol, butylene glycol, hexanediol, neopentyl glycol, polyethylene glycol, polypropylene glycol, polyoxytetramethylene glycol, glycerine, trimethylol propane and polyester having two or more terminal hydroxyl groups. Further, the isocyanate component includes those compounds having at least two isocyanate groups in one molecule, specifically, tolylene diisocyanate, xylylene diisocyanate, hexamethylene diisocyanate, 4,4'-diphenylmethane diisocyanate, triphenylmethane triisocyanate, trimethylol propane triisocyanate, polyesters, polyethers and polyurethanes having two or more terminal isocyanate groups.

The above-mentioned compounds can be used as the isocyanate component for producing polyurea, and the amine compounds includes those compounds having at least two amino groups in one molecule, specifically, hexamethylene diamine, dodecylamine, phenylene diamine, diaminodiphenyl ether and piperazine.

The epoxy component for preparing the epoxy resin includes those compounds having at least two

epoxy groups in one molecule, specifically: diglycidyl ether compound of bisphenol A, glycidyl ester compound of dimeric acid and compounds prepared by oxidizing olefins. Further, the amine compounds as described above can be used as the amine component. Further, all of known hardners can be used, for example, tertiary amines, boron trifluoride-amine complex and imidazole, as well as amines, polyamines, carboxylic acid anhydrides, polysulfides, dicyandiamides and diisocyanates having functional groups capable of polyaddition reaction with the epoxy groups.

The polyaddition reaction is carried out as follows. In order to prepare the polyurethane or polyurea, a surface active agent is added to a reactor vessel charged with water thereby solubilizing the isocyanate ingredient under stirring. Next, an aqueous solution of diol or diamine is added thereto, or alternatively solutions of both of the ingredients dissolved separately in an organic solvent are solubilized in the aqueous solutions of the surface active agent and mixed the two. In order to prepare the epoxy resin, a solution of a prepolymer or a combination of terminal epoxy compound and various hardners dissolved in a solvent is added dropwise to the heated aqueous solution of the surface active agent.

In the case where the monomer is solid or highly viscous liquid, it is preferred to first dissolve the monomer in an organic solvent before carrying out the polyaddition reaction in micelles. Any of inert solvents insoluble in water and not reactive with any of the ingredients may be used as the organic solvent, and benzene, toluene, xylene, etc. are particularly preferred. The reaction temperature is selected within a solubilizing region near the phase transition temperature and, usually, it is preferably from 20 to 70°C. Further, while the reaction time varies depending on the kind, composition and the concentration of the monomer, or the temperature etc., it is preferably from 1 to 50 hours.

The phenol resin which is a polycondensate can be prepared in the same manner as employed for the epoxy resin described above. It can be prepared by using phenol derivative such as phenol or cresol and formaldehyde. In addition, a resol resin or novolak resin may be used, which is hardened by acid or polyamine.


The latex thus obtained contains particulate polymer having an average particle size from 0.005 to 0.2 μm and 95% by weight or greater of the particles have a particle size within the above-mentioned range. The average particle size of the polymer used in this invention is from 0.01 to 0.1 μm converted from the weight value. Further, 95% by weight or greater of the polymer particles have the particle size within the range from 0.005 to 0.2 μm . When the polymer is incorporated into hair cosmetic compositions, the depositing property to the hair is degraded and no substantial effect for style-forming or retaining effect can be recognized if the particle size is too large or too small. Accordingly, those latexes used as a clouding agent to cream shampoos or the like cannot produce the effect of this invention because their average particle size is greater than 0.2 μm and they have a broader range of the particle size distribution.

The polymer used in this invention has a glass transition temperature (T_g) of higher than 300 K. If the glass transition temperature is lower than the above-mentioned value, the latex shows poor style-forming/retaining effect if it should deposit to the hair. The polymers having glass transition temperature (T_g) of higher than 300 K include polymers of vinyl monomers such as polystyrene, polyvinyl acetate, polydivinyl benzene, polymethyl methacrylate; polyamides such as 6,12-nylon; polyurethanes such as polyaddition polymer of polypropylene glycol (average molecular weight of 1000) and xylene diisocyanate; and epoxy resins such as polyaddition polymer of bisphenol A and diglycidyl ether. The vinyl monomers can be added with other monomers in such an extent as not rendering the glass transition temperature (T_g) below 300 K.

Among the polymers, most preferred are those polystyrenes and copolymers of styrene and a vinyl monomer other than styrene that have glass transition temperature (T_g) of higher than 300 K.

The hair cosmetic compositions according to this invention are prepared by blending the polymer obtained as described above directly with a substrate material of the hair cosmetic compositions, or by blending a liquid suspension of the polymer previously concentrated to a desired concentration with the substrate. In the case of the preparation of aqueous hair cosmetic compositions, it is preferred to add the polymer to water before blending with other ingredients such as a thickner. The polymer is preferably blended into the hair cosmetic compositions within a range from 0.01 to 10% by weight and, more preferably, from 0.05 to 5% by weight calculated as the residue after water is removed.


Further, a long-chain alkyl quaternary ammonium salt and oils and fats can be incorporated into the hair cosmetic composition according to this invention in order to provide the hair with more favorable feelings. The long-chain alkyl quaternary ammonium salt can include those long-chain alkyl quaternary ammonium salts represented by the following general formula (I):



5

wherein one or two of $R_1 - R_4$ represent a linear or branched long chain alkyl group having 8 to 24 carbon atoms and the remaining portion thereof represent alkyl or hydroxy alkyl group having 1 to 3 carbon atoms or benzyl group and X represents a halogen atom or an alkyl sulfate group having 1 or 2 carbon atoms, and they may be used alone or in admixture of two or more of them. Among the long chain alkyl quaternary ammonium salts represented by the foregoing formula (I), those having branched long chain alkyl groups may be synthesized by a known method starting from a branched higher fatty acid or branched higher alcohol. This starting materials may be of natural or synthetic products. The natural starting material can include lanolin fatty acids such as iso acid and anti-iso acid and terpene alcohols such as farnesol. The synthetic starting material can include oxoalcohol prepared by the oxo process, or Guerbet alcohol or 2-alkyl alkanol obtained through Guerbet condensation or aldol condensation starting from alcohol or aldehyde. For instance, in the case of oxo alcohol, the rate of branching compound of the resultant higher alcohol is small when starting from α -olefin, the rate of branching compound is increased in the case of the internal olefin and the rate of branching compound is increased to 100% in the case of branched olefin.

Among the branched type long chain alkyl quaternary ammonium salts, preferred are those having, as the branched alkyl group, 2-methylalkyl group represented by the following general formula (II):



25

wherein R represents a linear alkyl group having 5 to 13 carbon atoms and preferred examples of the group include 2-methyloctyl, 2-methyldecyl, 2-methylundecyl, 2-methyldodecyl, 2-methyltridecyl, 2-methyltetradecyl, 2-methylheptadecyl, etc. These 2-methyl alkyl groups are usually derived from oxo alcohol which is generally obtained as a mixture of linear-chain alcohols.

Those branched type long chain alkyl quaternary ammonium salts having these branched alkyl groups include alkyltrimethyl ammonium chloride, dialkyldimethyl ammonium chloride, alkyl dimethyl benzyl ammonium chloride, alkyltrimethyl ammonium bromide, alkyltrimethyl ammonium methosulfate and dialkylmethyl hydroxymethyl chloride. Among them, particularly preferred are those having the 2-methylalkyl group represented by the formula (II), which examples are branched long chain monoalkyl quaternary ammonium salt such as 2-methyldecyltrimethyl ammonium chloride, 2-methyldodecyltrimethyl ammonium chloride, 2-methyltetradecyltrimethyl ammonium chloride; branched long chain dialkyl quaternary ammonium salt in which one of the long chain alkyl group is branched such as 2-methyldecylundecyldimethyl ammonium chloride, 2-methyldodecyltridecyldimethyl ammonium chloride, 2-methyltetradecylpentadecyldimethyl ammonium chloride; and branched long chain dialkyl ammonium salts in which both of the long chain alkyl groups are branched such as di(2-methyldecyl)dimethyl ammonium chloride, di(2-methyldodecyl)dimethyl ammonium chloride and di(2-methyl tetradecyl)dimethyl ammonium chloride.

Further, examples of linear long chain alkyl groups can include, decyl, undecyl, dodecyl, tridecyl, tetradecyl, pentadecyl, hexadecyl, octadecyl and eicosanyl group.

Those oils and fats generally employed can be used and they include liquid paraffins, glycerides, higher alcohols, lanolin derivatives, esters and higher fatty acid. Glycerides used are those mono-glyceride fatty acids derived from saturated or unsaturated linear or branched chains having from 12 to 24 carbon atoms. Among the oils and fats, those higher alcohols having linear or branched alkyl or alkenyl groups having 12 to 26 carbon atoms are particularly preferred and specific examples thereof include cetyl alcohol, stearyl alcohol, arachidic alcohol, behenyl alcohol, carnaubyl alcohol and ceryl alcohol.

The long chain alkyl quaternary ammonium salts and oils and fats are preferably incorporated within a range from 0.01 to 20% and from 0.1 to 30%, respectively.

When 0.01 to 10 wt% of casein or a casein derivative is incorporated into a hair cosmetic composition of the present invention, the hair style-forming/retaining effect is further enhanced without impeding feel to the touch of the hair. The casein derivatives include for example, metal salts of casein, hydrolysates of casein. A sodium salt and a hydrolysate having an average molecular weight of 1,000 to 50,000 are preferable as the metal salt of casein and the hydrolysate of casein, respectively.

55

The hair cosmetic compositions that can provide excellent effects due to the incorporation of the polymer and, if required, long chain alkyl quaternary ammonium salt and oils and fats in this invention have no particular restriction and they can include, for example, shampoos, hair rinses, hair conditioners, hair treatments, blowers, hair setting agents, hair liquids, hairtonics, brushing agents, hair sprays and hair colors. Further, there are no particular restrictions for the formulations of hair cosmetic compositions that can be blended with the polymer and they can include, for example, an aqueous solution, ethanol solution, emulsion, suspension, gel, solid-form, aerosol and powder.

The hair cosmetic compositions according to this invention are excellent in the style-forming/retaining effect, depositing property, feeling, and can impart excellent style-forming/retaining ability and favorable touch to the hair. Further, they are free from the drawbacks such as easy separation and poor combing, when incorporated in a hair cosmetic composition, as compared with inorganic powder such as talc, mica and titanium easily available as a fine powder.

This invention will now be explained referring to Synthesis Examples and Examples.

Synthesis Examples

Latexes were prepared by the Methods 1 - 8 shown below and the average particle size and the glass transition temperature T_g were determined and shown in Table 1. The average particle size was measured by a sub-micron particle analyzer "Coulter Model N-4" and represented by the average weight value. T_g was determined according to Polymer Handbook (A Wiley-Interscience Publication, John Wiley & Sons Inc., 1975).

Method 1

Polystyrene Latex A:

A separable flask made of glass and equipped with a stirrer was charged with 500 parts by weight (hereinafter referred to simply as parts) of distilled water, 25 parts of polyoxyethylene (30) nonylphenyl ether (numeral value in the parenthesis represents here and hereinafter the average number of addition mol of ethylene oxide) and 1.2 parts of ammonium persulfate. The flask was purged with nitrogen to remove all air and heated to 62°C while stirring. 125 parts of styrene were dropped over 2 hours and polymerization was proceeded for further 6 hours to obtain polystyrene latex A.

Method 2

Polystyrene Latex B:

A separable flask made of glass and equipped with a stirrer was charged with 500 parts of distilled water, 15 parts of polyoxyethylene(30) nonylphenyl ether, 0.5 parts of ammonium persulfate and 0.5 parts of sodium sulfite. The flask was purged with nitrogen to remove all air and heated to 45°C while stirring. 50 parts of styrene were dropped over one hour and polymerization was proceeded for further 8 hours to obtain polystyrene latex B.

Method 3

Polystyrene Latex C:

Polystyrene latex C was prepared in the same manner as in the Method 2 excepting for lowering the reaction temperature to 35°C.

Method 4

Vinyl Homopolymer Latex:

Various kinds of vinyl homopolymer latexes were obtained by using polyoxyethylene(30) nonylphenyl ether as the surface active agent, vinyl acetate monomer, methyl methacrylate monomer, n-butyl acrylate monomer, n-butyl methacrylate monomer or 2-ethylhexyl methacrylate monomer as the monomer and in the same manner as in the Method 1.

Method 5

Nylon Latex:

5 In each of two beakers, 13 parts of polyoxyethylene(30) nonylphenyl ether and 200 parts of water were charged and stirred. A solution of 2 parts of dodecylamine dissolved in toluene was added to one (solution A) of the thus obtained aqueous solutions, while 1.8 parts of adipic dichloride was added to another solution (solution B) and they were stirred respectively. Both of the thus obtained transparent solubilized solutions were mixed under stirring at a room temperature and, after adjusting the pH to about 10 by using 5N-NaOH,
10 reacted for several hours to obtain 6,12-nylon latex.

Method 6

Polyurethane Latex:

15 In each of two beakers, 13 parts of polyoxyethylene(30) nonylphenyl ether and 200 parts of water were charged and stirred. A solution of 25 parts of polypropylene glycol (average molecular weight 1000) dissolved in toluene was added to one (solution A) of the thus obtained aqueous solution, while 5 parts of xylylene diisocyanate was added to another solution (solution B) and they were stirred respectively. After
20 mixing these two solutions at room temperature, the mixed solution was stirred for two hours to obtain polyurethane latex.

Method 7

25 Epoxy Resin Latex:

An aqueous solution containing 12 parts of polyoxyethylene(30) nonylphenyl ether dissolved in 200 parts of water was heated to 60 °C, to which was added a solution of 2 parts of diglycidyl ether of bisphenol A dissolved in 8 parts of toluene, followed by stirring. 0.3 parts of dodecyl diamine was further added to the
30 solubilized solution and reacted for further 4 hours at the same temperature to obtain an epoxy resin latex.

Method 8

Styrene Copolymer Latex:

35 A styrene copolymer latex was obtained by the method according to the preparation process for the polystyrene latex shown in the Method 1 by using the same polyoxyethylene(30) nonylphenyl ether as the surface active agent, and replacing styrene with a mixture of styrene and various kinds of monomers (vinyl acetate monomer, sodium styrene sulfonate monomer, trimethylaminoethyl methacrylate chloride monomer).
40

The glass transition temperature, the average particle size and the ratio of particles having the particle size from 0.005 to 0.2 μm for the latexes obtained in the Methods 1 - 8 of the Synthesis Examples are collectively shown in Table 1.

Example 1

45 A hair treatment composition was prepared by adding water to each of the polymer latexes obtained in the Methods 1 - 8 of the Synthesis Examples so as to have 1% by weight of the polymer material. Each composition was then tested for the following items and the results are shown in Table 2. Further, a hair
50 rinse composition comprising 2% by weight of stearyl trimethyl ammonium chloride, 2% by weight of cetanol, 1% by weight of polymer latex (polymer content) and the balance of water was prepared, the performance was evaluated in the same manner. The results are shown in Table 3.

(1) Combing Force

55 20 g of human hair was wetted with water at 40 °C to be impregnated with 10 g of water content. The hair was treated for 30 sec by using 2 g of a test solution shown in Table 2 and then rinsed for 30 sec in running water at 40 °C. After draining, the hair was dried by a dryer, left for one night in a thermostable and

humidity stable chamber at 20 ° C and 65% RH. set to a strain gage and then applied with combing in which a force exerted on the comb was measured.

(2) Style-Forming/Retaining Effect

5

A bundle of hair weighing 5 g and 20 cm long was treated for one minute with each of the test solutions shown in Table 2, rinsed and then wound around a glass tube of 1 cm diameter. Then the hair was left for one night in a thermostable and humidity stable chamber at 20 ° C and 65 RH%, air dried and detached from the glass tube and then the length of the curl was measured with the elapse of time. The curl retainability was calculated from the result by using the following equation and the style-forming-retaining effect was examined by the following evaluation criteria.

15

$$\text{Curl retainability (\%)} = \frac{L_0 - L_B}{L_0 - L_A} \times 100$$

20

L_0 : 20 cm

L_A : Curl length (cm) just after detaching from the glass tube.

L_B : Curl length 12 hours after detaching from the glass tube.

25

Style-forming-retaining effect	Curl retainability (%)
o	between 65 and 100
△	between 50 and 65
x	between 0 and 50

30

(3) Depositing Property to Hair

35

Hair of 20 cm long and 50 µm in diameter was treated and dried in the same manner as described in (1) above. The hair was observed under a scanning electron microscope and the state of the fine polymer particles deposited to the surface of the hair was evaluated by the following evaluation criteria.

40

45

Evaluation criteria:	
Deposition property	State on the Hair Surface
A	Deposits found substantially over the entire surface
B	Deposits found partially
C	Deposits found slightly
D	No deposits found at all

(4) Feeling

50

A bundle of Japanese virgin hair was treated by the test solutions shown in Table 2 by the method as described in (1) above and then air-dried. The bundle of hair was evaluated for the feeling at five steps by 20 female members. The criterion for the evaluation was given as good (score 5), rather good (score 3), ordinary (score 3), somewhat poor (score 2) and poor (score 1) and the results were expressed as the geometrical mean.

55

Table I

Polymer latex		Synthesis method	Glass transition temp. (°K)	Average particle size (μm)	Particles having particle size of 0.005-0.2/μm (wt%)
A.	Polystyrene A	Method I	373	0.066 ± 0.008	100
B.	Polystyrene B	" 2	373	1.2 ± 0.1	0
C.	Polystyrene C	" 3	373	2.0 ± 0.5	0
D.	Polyvinyl acetate	" 4	305	0.058 ± 0.008	100
E.	Polydivinyl benzene	" 4	379	0.078 ± 0.007	100
F.	Polymethyl methacrylate	" 4	378	0.063 ± 0.004	100
G.	Poly-n-butyl acrylate	" 4	219	0.12 ± 0.01	98
H.	Poly-n-butyl methacrylate	" 4	293	0.075 ± 0.004	100
I.	Poly-2-ethylhexyl methacrylate	" 4	263	0.15 ± 0.02	96
J.	6,12-nylon	" 5	319	0.035 ± 0.005	100
K.	Polyurethane	" 6	379	0.055 ± 0.006	100
L.	Epoxy resin	" 7	393	0.047 ± 0.005	100
M.	Styrene/vinyl acetate (99/1) copolymer	" 8	372	0.052 ± 0.003	100
N.	styrene/sodium styrene sulfonate (98/6) copolymer	" 8	363	0.042 ± 0.005	100
O.	Styrene/trimethylaminoethyl methacrylate chloride (94/6) copolymer	" 8	358	0.096 ± 0.007	100
P.	Styrene/vinyl acetate copolymer (commercial goods)	—	—	0.2 ± 0.1	50
Q.	Styrene/vinyl pyrrolidone copolymer (commercial goods)	—	—	0.5 ± 0.3	30
R.	Nylon (commercial goods)	—	—	2.0 ± 0.5	0

Table 2

Polymer latex		Combining force (q)	Style-forming/ retaining effect	Hair deposition	Feeling of treated hair
A.	Polystyrene A	200	○	A	3.0
B.	Polystyrene B	265	x	C	1.2
C.	Polystyrene C	220	x	C	2.0
D.	Polyvinyl acetate	208	○	A	3.2
E.	Polydivinyl benzene	207	○	A	2.6
F.	Polymethyl methacrylate	205	○	A	2.7
G.	Poly-n-butyl acrylate	210	△	A	1.8
H.	Poly-n-butyl methacrylate	212	△	A	2.0
I.	poly-2-ethylhexyl methacrylate	210	△	A	2.3
J.	6,12-nylon	165	○	A	3.7
K.	polyurethane	178	○	A	3.5
L.	Epoxy resin	210	○	A	2.5
M.	Styrene/vinyl acetate (99/1) copolymer	203	○	A	3.0
N.	Styrene/sodium styrene sulfonate (94/6) copolymer	196	○	A	2.4
O.	Styrene/trimethylaminoethyl methacrylate chloride (94/6) copolymer	210	○	A	2.4
P.	Styrene/vinyl acetate copolymer (commercial goods)	243	x	C	2.0
Q.	Styrene/vinylpyrrolidone copolymer (commercial goods)	238	x	C	2.4
R.	Nylon (commercial goods)	220	x	C	2.2
S	None (control)	200	x	D	1.2

Table 3

Polymer latex	Combing force (g)	Style-forming/retaining effect	Hair deposition	Peeling of treated hairs
A. Polystyrene A	96	○	Λ	4.5
B. Polystyrene B	118	x	C	2.5
C. Polystyrene C	100	x	C	4.0
D. Polyvinyl acetate	105	○	Λ	4.2
E. Polydivinyl benzene	97	○	Λ	3.7
F. Polymethyl methacrylate	97	○	A	4.0
G. Poly-n-butyl acrylate	93	△	Λ	3.0
H. Poly-n-butyl methacrylate	95	△	Λ	3.1
I. Poly-2-ethylhexyl methacrylate	97	△	Λ	2.9
J. 6,12-nylon	90	○	Λ	4.5
K. Polyurethane	92	○	Λ	4.5
L. Epoxy resin	103	○	Λ	3.8
M. Styrene/vinyl acetate (99/1) copolymer	92	○	Λ	4.6
N. Styrene/sodium styrene sulfonate (94/6) copolymer	105	○	Λ	4.2
O. Styrene/trimethylaminoethyl methacrylate chloride (94/6) copolymer	103	○	Λ	4.1
P. Styrene/vinyl acetate copolymer (commercial goods)	123	x	C	3.1
Q. Styrene/vinylpyrrolidone copolymer (commercial goods)	117	x	C	3.5
R. Nylon (commercial goods)	110	x	C	3.4
S. None (control)	131	x	D	2.5

As apparent from Tables 2 and 3, all of the hair cosmetic composition comprising polymer latexes according to this invention were highly depositing to hair and show preferable style-forming/retaining effects even when using the polymer latex alone.

Example 2

Shampoo Composition

(Formulation)

A Sodium salt of polyoxyethylene(2.5) lauryl ether sulfate	15 (%)
B Coconut fatty acid diethanol amide	3
C Polystyrene latex A (obtained by Method 1 of the Synthesis Example, polymer content: 20%)	2
D Perfume	0.5
E Colorant	slight amount
F Citric acid	slight amount
G Water	balance

(Preparation Method)

The ingredient C was uniformly dispersed into the ingredient G under stirring at room temperature, the ingredients A and B were added and uniformly dissolved and then the ingredients D, E and F were incorporated into the solution to provide excellent style-forming and retaining property and favorable feeling thereby obtain a uniform and stable shampoo composition.

Example 3

Hair Rinse Composition

(Formulation)

A Distearyl dimethyl ammonium chloride	2 (%)
B Propylene glycol	3
C Styrene vinyl acetate (99-1) copolymer latex (obtained by Method 8 of the Synthesis Example, polymer content: 20%)	1
D Perfume	0.5
E Colorant	slight amount
F Water	balance

(Preparation Method)

The ingredient C was uniformly dissolved in the ingredient F and heated. A heated uniform solution of the ingredients A, B and C was added thereto under stirring followed by cooling and then ingredients D and E were incorporated to obtain a hair rinse composition capable of providing hair with an excellent style-forming, retaining property and favorable feeling.

Example 4

Hair Conditioner Composition

(Formulation)

A Styrene-trimethylaminoethyl methacrylate chloride (94:6) copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%, average particle size: $0.096 \pm 0.007 \mu\text{m}$)	1 (%)
B Methylparaben	0.1
C Ethanol	10.0
D Water	balance
E Perfume	0.2

(Preparation Method)

The ingredient A was uniformly dispersed in the ingredient D under stirring at room temperature and then ingredients B and C and E were added to obtain a hair conditioner capable of providing hair with excellent style-forming-retaining property and favorable feeling.

Example 5

Hair Set Composition

(Formulation)

A Epoxy resin (obtained by Method 7 of Synthesis Example, polymer content: 20%)	2 (%)
B Ethanol	10
C Water	balance
D Hydroxyethylcellulose	0.2
E Perfume	0.2

(Preparation Method)

The ingredient A was uniformly dispersed in the ingredient C under stirring at room temperature and then ingredients B, D and E were added to obtain a hair set composition capable of providing hair with an excellent style-forming-retaining property and favorable feeling.

Example 6

Hair Liquid Composition

(Formulation)

A Styrene-sodium styrene sulfonate (94:6) copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	1 (%)
B Polyoxypropylene(30) butyl ether	15.0
C Ethanol	40.0
D Water	balance
E Perfume	0.3

(Preparation Method)

The ingredient A was dispersed in the ingredient D under stirring at room temperature and then ingredients B, C and E were added and mixed well, to obtain a hair liquid composition capable of providing hair with an excellent style-forming-retaining property and favorable feeling.

Example 7

Hairtonic Composition

5 (Formulation)

10	A Styrene:sodium styrene sulfonate (94:6) copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	1 (%)
	B PCA-Al	0.5
	C Ethanol	55.0
	D water	balance
	E Perfume	0.3

15

(Preparation Method)

20 The ingredient A was uniformly dispersed in the ingredient D under stirring at room temperature and then ingredients B, C and E were added and well mixed to obtain a hairtonic composition capable of providing hair with an excellent style-forming/retaining property and favorable feeling.

Example 8

25 Hair Brushing Composition

(Formulation)

30	A Styrene:vinyl acetate (99:1) copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	1 (%)
	B Ethanol	10.0
	C Polyethylene glycol 6000	3.0
	D water	balance
35	E Perfume	0.2

(Preparation Method)

40

The ingredients A - E were sufficiently dispersed in the ingredient D and stirred well to obtain a hairbrushing composition capable of providing hair with an excellent style-forming/retaining property and favorable feeling.

45 **Example 9**

Blow Finishing Composition

(Formulation)

50

55

A Stearyltrimethyl ammonium chloride	0.4 (%)
B Polyethylene glycol	0.1
C Perfume	0.3
D Water	balance
E Polystyrene latex A (obtained by Method 1 of Synthesis Example, polymer content: 20%; particle size $0.1 \pm 0.01 \mu\text{m}$)	0.5

(Preparation Method)

The ingredient E was uniformly dispersed in the ingredient D under stirring and then ingredients A, B and C were added to obtain a blow finishing composition capable of providing hair with an excellent style-forming-retaining property and favorable feeling.

Example 10

Aerosol Type Hair Set Composition

(Formulation)

A Styrene-trimethylaminoethyl methacrylate chloride (94.6) copolymer latex (obtained by Method 8 of synthesis Example, polymer content: 20%)	1 (%)
B Silicone oil	1
C Perfume	0.1
D Anhydrous ethanol	balance
E Furon 12	70

(Preparation Method)

Ingredients B and C were dissolved in the ingredient D and then the ingredient A was added and dispersed uniformly. They were packed in a aerosol can to which a Furon gases was filled to thereby obtain an aerosol type hair set composition capable of providing excellent style-forming-retaining property and favorable feeling.

Example 11

Hair Rinse Composition

(Formulation)

A Distearyltrimethyl ammonium chloride	2.0 (%)
B Stearyltrimethyl ammonium chloride	1.0
C Cetyl alcohol	2.0
D Liquid paraffin	1.0
E Silicone oil	0.5
F Propylene glycol	3.0
G Styrene-vinyl acetate copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	1.0
H Perfume	0.5
I Colorant	slight amount
J Water	balance

Example 12

Hair Treatment Composition

5 (Formulation)

10	A Isostearyltrimethyl ammonium chloride	2.0 (%)
	B Liquid paraffin	1.0
	C Collagen decomposition product	3.0
	D Hardened castor oil	1.0
	E Polyoxyethylene hardened castor oil derivative (EO60)	0.5
15	F Styrene-trimethylaminoethyl methacrylate chloride copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	1.0
	G Methylparaben	0.1
	H Ethanol	5.0
	I Perfume	0.2
20	J Water	balance

Example 13

25 Hair Set Composition

(Formulation)

30	A Cetostearyltrimethyl ammonium chloride	1.0 (%)
	B Polyoxyethylene alkyl ether (EO90)	1.0
	C Polyoxyethylene hardened castor oil derivative (EO60)	0.5
35	D Cetostearyl alcohol	0.05
	E Styrene-potassium methacrylate (95:5) copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	2.0
	F Ethanol	10.0
	G Hydroxyethylcellulose	0.2
40	H Perfume	0.2
	I Water	balance

Example 14

45

Hair Liquid Composition

(Formulation)

50

55

A Stearyltrimethyl ammonium chloride	0.05 (%)
B Cetanol	0.05
C Polyoxyethylene hardened castor oil derivative (EO60)	0.5
D Styrene/sodium styrene sulfonate (94/6) copolymer latex (obtained by Method 8 of synthesis Example, polymer content: 20%)	1
E Polyoxypropylene(30) butyl ether	15.0
F Ethanol	40.0
G Perfume	0.3
H Water	balance

Example 15

Blow Finishing Composition

(Formulation)

A Stearyltrimethyl ammonium chloride	0.4 (%)
B Cetyl alcohol	0.02
C Polyoxyethylene alkyl ether (EO20)	0.5
D Polyethylene glycol	0.1
E Perfume	0.3
F Polystyrene latex A (obtained by Method 1 of Synthesis Example, polymer content: 20%)	0.5
G Water	balance

Example 16

Aerosol Type Hair Set Composition

(Formulation)

A Stearyltrimethyl ammonium chloride	0.5 (%)
B Distearyltrimethyl ammonium chloride	0.5
C Styrene trimethylaminoethyl methacrylate chloride (94/6) copolymer latex (obtained by Method 8 of Synthesis Example, polymer content: 20%)	1.0
D Silicone oil	1.0
E Perfume	0.1
F Furon 12	70
G Anhydrous ethanol	balance

Examples 17 - 19


Hair rinse compositions shown in Table 4 were prepared according to the usual manner. All of these compositions showed more excellent hair style-forming-retaining effect compared with a hair rinse composition without containing casein or a casein derivative, and, at the same time, they exhibited good combing performance and good feeling of the treated hair.

Table 4

	Example		
	17	18	19
A Stearyl trimethyl ammonium chloride	2 wt%	2 wt%	2 wt%
B Cetyl alcohol	2	2	2
C Polystyrene latex A (obtained by Method 1 of Synthesis Example, polymer content: 20%)	1	1	1
D Casein	1	-	-
E Sodium caseinate	-	1	-
F Hydrolyzed casein (average m.w. = 10.000)	-	-	1
G water	balance	balance	balance

Claims

1. A hair cosmetic composition comprising from 0.01 to 10% by weight of a particulate polymer having a weight average diameter of from 0.01 to 0.1 μm , said particulate polymer has a particle size distribution of such that the particles ranging from 0.005 to 0.2 μm in diameter are contained in over 95% by weight of the particles and has a glass transition temperature, T_g , of over 300 K.
2. A hair cosmetic composition as defined in Claim 1, wherein said particulate polymer is a polymer of a vinyl monomer, a polyamide, a polyurethane or an epoxy resin.
3. A hair cosmetic composition as defined in Claim 2, wherein said polymer of a vinyl monomer is a member selected from the group consisting of polystyrenes and copolymers of a styrene and one or more vinyl monomers other than styrene.
4. A hair cosmetic composition comprising the following three ingredients (A), (B) and (C):
(A) from 0.01 to 20% by weight of one or more of long chain alkyl quaternary ammonium salt represented by the following general formula (I):



wherein one or two of R_1 - R_4 represent a linear or branched long chain alkyl group having 8 to 24 carbon atoms and the rest thereof independently represent an alkyl or hydroxy alkyl group having 1 to 3 carbon atoms or a benzyl group. X represents a halogen atom or an alkyl sulfate group having 1 or 2 carbon atoms.

(B) from 0.1 to 30% by weight of oils and fats, and

(C) from 0.01 to 10% by weight of a particulate polymer having a weight average diameter of from 0.01 to 0.1 μm , said particulate polymer has a particle size distribution of such that the particles ranging from 0.005 to 0.2 μm in diameter are contained in over 95% by weight of the particles and has a glass transition temperature, T_g , of over 300 K.

5. A hair cosmetic composition as defined in Claim 4, wherein said particulate polymer is a polymer of a vinyl monomer, a polyamide, a polyurethane or an epoxy resin.
6. A hair cosmetic composition as defined in claim 5, wherein said polymer of a vinyl monomer is a member selected from the group consisting of polystyrenes and copolymers of a styrene and one or more vinyl monomers other than styrene.

1. Haarkosmetikzusammensetzung.

die in einem Anteil von 0,01 bis 10 Gew.-% ein teilchenförmiges Polymer enthält, das - bezogen auf das Gewicht - einen mittleren Teilchendurchmesser von 0,01 bis 0,1 μm und eine solche Teilchengrößenverteilung aufweist, daß die Teilchen mit einem Durchmesser von 0,005 bis 0,2 μm mehr als 95 % des Gewichtes der Teilchen ausmachen, und dieses Polymer eine Glasübergangstemperatur, T_g , von über 300 K aufweist.

2. Haarkosmetikzusammensetzung nach Anspruch 1,

wobei das teilchenförmige Polymer ein Polymer aus einem Vinylmonomer, ein Polyamid, ein Polyurethan oder ein Epoxyharz ist.


3. Haarkosmetikzusammensetzung nach Anspruch 2.

wobei das Polymer aus einem Vinylmonomer ein Polymer ist, das ausgewählt ist aus einer Gruppe, die umfaßt Polystyrole und Copolymere aus Styrol und einem oder mehreren Vinylmonomeren, jedoch nicht Styrol.

4. Haarkosmetikzusammensetzung.

die einen Gehalt an den nachstehenden drei Bestandteilen (A), (B) und (C) aufweist:

(A) in einem Anteil von 0,01 bis 20 Gew.-% ein oder mehrere quartäre(s) Ammoniumsalz(e) mit langkettigen Alkylgruppen, der nachstehenden Allgemeinen Formel (I)



wobei ein oder zwei Rest(e) der Reste R_1 bis R_4 für eine lineare oder verzweigte langkettige C_{8-24} -Alkylgruppe stehen und die weiteren Reste - unabhängig voneinander - für eine C_{1-3} -Alkylgruppe, für eine C_{1-3} -Hydroxyalkylgruppe oder für eine Benzylgruppe stehen, und X für ein Halogenatom oder für eine C_{1-2} -Alkylsulfatgruppe steht;

(B) in einem Anteil von 0,1 bis 30 Gew.-% Öle und Fette; und

(C) in einem Anteil von 0,01 bis 10 Gew.-% ein teilchenförmiges Polymer, das - bezogen auf das Gewicht - einen mittleren Teilchendurchmesser von 0,01 bis 0,1 μm und eine solche Teilchengrößenverteilung aufweist, daß die Teilchen mit einem Durchmesser von 0,005 bis 0,2 μm mehr als 95 % des Gewichtes der Teilchen ausmachen, und dieses Polymer eine Glasübergangstemperatur, T_g , von über 300 K aufweist.

5. Haarkosmetikzusammensetzung nach Anspruch 4.

wobei das teilchenförmige Polymer ein Polymer aus einem Vinylmonomer, ein Polyamid, ein Polyurethan oder ein Epoxyharz ist.

6. Haarkosmetikzusammensetzung nach Anspruch 5.

wobei das Polymer aus einem Vinylmonomer ein Polymer ist, das ausgewählt ist aus einer Gruppe, die umfaßt Polystyrole und Copolymere aus Styrol und einem oder mehreren Vinylmonomeren, jedoch nicht Styrol.

Revendications

1. Composition cosmétique capillaire comprenant de 0,01 à 10% en poids d'un polymère particulier ayant un diamètre moyen en poids de 0,01 à 0,1 μm , ledit polymère particulier ayant une répartition granulométrique telle que les particules ayant un diamètre se situant dans la plage de 0,005 à 0,2 μm soient présentes à plus de 95% en poids des particules, et présentant une température de transition vitreuse, T_g , de plus de 300 K.

2. Composition cosmétique capillaire selon la revendication 1, dans laquelle ledit polymère particulaire est un polymère d'un monomère vinylique, un polyamide, un polyuréthane ou une résine époxy.
3. Composition cosmétique capillaire selon la revendication 2, dans laquelle ledit polymère d'un monomère vinylique est un élément choisi dans le groupe constitué par les polystyrènes et les copolymères d'un styrène et d'un ou plusieurs monomères vinyliques autres que le styrène.
4. Composition cosmétique capillaire comprenant les trois ingrédients (A), (B) et (C) suivants :
 (A) de 0,01 à 20% en poids d'un ou plusieurs sels d'(alkyl à longue chaîne) ammonium quaternaire, représentés par la formule générale (I) suivante :



dans laquelle :

- un ou deux parmi les radicaux R_1 - R_4 représentent un groupe alkyle à longue chaîne, linéaire ou ramifié, ayant 8 à 24 atomes de carbone ; et
- les radicaux restants représentent indépendamment un groupe alkyle ou hydroxy alkyle ayant 1 à 3 atomes de carbone ou un groupe benzyle ;
- X représente un atome d'halogène ou un groupe alkyl sulfate ayant 1 ou 2 atomes de carbone

(B) de 0,1 à 30% en poids d'huiles et graisses ; et

(C) de 0,01 à 10% en poids d'un polymère particulaire ayant un diamètre moyen en poids de 0,01 à 0,1 μm , ledit polymère particulaire ayant une répartition granulométrique telle que les particules ayant un diamètre se situant dans la plage de 0,005 à 0,2 μm soient présentes à plus de 95% en poids des particules, et présentant une température de transition vitreuse, T_g , de plus de 300 K.

5. Composition cosmétique capillaire selon la revendication 4, dans laquelle ledit polymère particulaire est un polymère d'un monomère vinylique, un polyamide, un polyuréthane ou une résine époxy.
6. Composition cosmétique capillaire selon la revendication 5, dans laquelle ledit polymère d'un monomère vinylique est un élément choisi dans le groupe constitué par les polystyrènes et les copolymères d'un styrène et d'un ou plusieurs monomères vinyliques autres que le styrène.